



STAFFORD BRIDGE DOORS LTD
Timber Security Doorsets

Stafford Bridge Doors Ltd
Bedford Road, Pavenham
Bedfordshire MK43 7PS
T +44 (0) 1234 826 316
F +44 (0) 1234 826 319
E sales@sbdoors.com
W www.sbdoors.com

QUICK REFERENCE GUIDE

Door Range	Number of Leaves		Door Finish		Lock Fitting		Vision Panels	Safety						Security			
	Single	Double	Timber	Steel Faced	Concealed	Surface		Fire Rating			Blast	Ballistics	Panic	Emergency	ACPO	LPCB	CLASS
								FD30	FD60	FD90		BS EN 1522	BS EN 1125	BS EN 179	Secured by Design	LPS 1175	
Bedford	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓	✓			
Hendon	✓		✓	✓	✓	✓	✓	✓	✓				✓	✓	✓	Rating 2	Class 1
Sandhurst	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	FB1	✓	✓	✓	Rating 3	Class 2
Croydon *	✓	✓	✓	✓		✓	✓	✓	✓		✓	FB1	✓	✓	✓	Rating 3	Class 2
Wilton	✓	✓	✓	✓		✓	✓	✓	✓		✓	FSG FB4-FB7	✓	✓	✓	Rating 4	Class 3
Halton	✓	✓		✓		✓	✓	✓	✓	✓	✓	FSG FB4-FB7	✓	✓	✓	Rating 4	Class 3
Whitehall	✓	✓	✓	✓		✓	✓	✓	✓		✓	FSG FB4-FB7		✓	✓	Rating 5 ^o	Class 4
Cranwell	✓	✓		✓		✓	✓	†	†	†	✓	FSG FB4-FB7		✓	✓	Rating 5 ^o	Class 4

- FD30, FD60 & FD90 - 30-, 60- & 90-minute fire resistant options on single, double, inward & outward opening doors
- BS EN 1125 - Latest European Panic Exit standard
- BS EN 179 - Latest European Emergency Exit standard
- BS EN 1522 - FB1 to FB7; hand gun and rifle round (in order of magnitude). FSG; solid slug shot gun ammunition
- LPCB - Loss Prevention Certification Board
- LPS 1175 - Loss Prevention Standard for Forced Entry

N.B. Our doorsets are regularly tested and assessed - refer to current certificates 516a for full list of product conformity

- ACPO - Association of Chief Police Officers
- Blast - Ensures blast protection to the requirements of HM Government explosion test standard for protected spaces
- * Approved manufacturer of HM Government 'Croydon' Security Doorset
- † Currently under test
- o Aimed at LPS 1175 but as yet untested




Certificate No.
TT-COC-1818



Assessed to ISO 9001:2000
Certificate No. 516-2



Police Preferred
Specification



SECURING THE PEOPLE
WHO SECURE THE COUNTRY
www.surelockmcgillgroup.com